



Overview

The Secabo T160 II vinyl cutter offers modern automatic functions that are ideal for working with large plots and processing large quantities in professional quality. The integrated multi crop mark recognition system LAPOS Q automatically registers provided crop marks and facilitates precise cutting of arbitrary shapes. The automatic media detection feature configures the software to the inserted media width. The back-lit LCD and large gel buttons ensure simple and comfortable usability. The Secabo T160 II vinyl plotter supports a maximum media width of 175 centimeters and a maximum cutting width of 160 centimeters. Included in the scope of delivery is the cutting software DrawCut PRO for Windows, as well as a stable stand with roll mount, a practical catchup basket and an automatic media unwinder for smooth feeding of even large and heavy rolls.

Features



Easy menu navigation

comfortable control panel with illuminated LCD-display and large buttons



DrawCut PRO

DrawCut PRO included - with control for LAPOS XPT, vectorization, text to path, shading, etc.



automatic vinyl feeding

The film is - controlled by a light sensor - automatically unwound and fed into the cutter.



high precision

High precision for cutting of smallest fonts and objects.



servo drives

silent, precise and powerful servo drives for best cutting results



Plug and play

simple installation, no additional drivers necessary



64bit enabled

The device can be controlled by 64bit operating systems.



Mac compatible

This product is also available as a mac compatible version with the SignCut software (without LAPOS).



Low noise

low noise level which makes working in an office environment possible



LAPOS Q

Cutting-edge contour cut function for Print & Cut applications, automatic continuous detection of registration marks

Technical Data

dimensions	192cm x 26cm x 26cm
countour cutting function	LAPOS Q, sequential crop marks
scope of delivery	Cutters, multilingual cutting software DrawCut PRO (Windows), drag knives, ball-bearing knife holder, plotting pen, Plotunterlage A3, cable, stand with roll holder, automatic film unwind and catch tray, German speaking user
max. media width	1750 mm
max. media thickness	1 mm
max. cutting size	1600 mm
max. cutting speed	960 mm/s
mech. resolution	0,01254 mm
interfaces	USB
downforce	50 - 750 g
type	Cutters including convenient stand with automatic film processing
control	back-illuminated graphic LCD display with gel buttons
weight without packaging	50 kg
Weight with packaging and stand	65 kg

Views

